

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,912,142 B2  
DATED : June 28, 2005  
INVENTOR(S) : Thomas A. Keim et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

**Item [57], ABSTRACT,**

Line 11, delete "switched mode" and replace it with -- switched-mode --.

Column 1,

Line 45, delete "wound field" and replace it with -- wound-field --.

Column 2,

Line 60, delete "pulse width" and replace it with -- pulse-width --.

Column 3,

Line 64, delete "above referenced" and replace it with -- above-referenced --.

Column 5,

Line 18, delete "switched mode" and replace it with -- switched-mode --.

Column 6,

Line 5, delete "The it present" and replace it with -- The present --.

Line 17, delete "wound field" and replace it with -- wound-field --.

Line 39, delete "switch mode" and replace it with -- switch-mode --.

Column 8,

Line 60, delete "abase" and replace it with -- a base --.

Column 9,

Line 47, delete "greater that" and replace it with -- greater than --.

Column 11,

Line 44, delete "is for example the" and replace it with -- is, for example, the --.

Line 52, delete "correspond to" and replace it with -- corresponds to --.

Column 13,

Lines 35-36, delete "signal 102 and will be" and replace it with -- signal 102 will be --.

Column 14,

Line 12, delete "can for example" and replace it with -- can, for example, --.

Line 55, delete "the base duty ratio duty ratio of" and replace it with -- the base duty ratio of --.

Column 16,

Lines 14-15, delete "provided for example from" and replace it with -- provided, for example, from --.

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,912,142 B2  
DATED : June 28, 2005  
INVENTOR(S) : Thomas A. Keim et al.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 17,

Lines 1-2, delete "plurality output" and replace it with -- plurality of output --.  
Lines 32-33, delete "are the coupled" and replace it with -- are then coupled --.

Column 18,

Lines 2-3, delete "controller 36" and replace it with -- controller 36" --.  
Line 65, delete "switching element" and replace it with -- switching elements --.

Column 19,

Lines 31 and 35, delete "controller 36" and replace it with -- controller 36" --.  
Lines 57-58, delete "As an example four" and replace it with -- As an example, four --.

Column 20,

Lines 54-55, delete "switching element" and replace it with -- switching elements --.

Column 22,

Line 24, delete "for a switches" and replace it with -- for switches --.  
Line 39, delete "In the" and replace it with -- in the --.  
Line 48, delete "describe" and replace it with -- described --.

Column 23,

Line 50, delete "168a-168a" and replace it with -- 168a-168c --.

Column 24,

Line 48, delete "diodes 186a" and replace it with -- diodes, 186a --.  
Lines 55-56, delete "arrangements FIGS. 14A-14C." and replace it with -- arrangements of FIGS. 14A-14C. --.

Column 25,

Lines 42-43, delete "current voltage" and replace it with -- current (ac) voltage --.

Column 26,

Line 40, delete "controllably" and replace it with -- controllable --.

Column 27,

Line 11, delete "controllably" and replace it with -- controllable --.

Column 28,

Lines 49, 56, 60 and 67, delete "switched mode" and replace it with  
-- switched-mode --.

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,912,142 B2  
DATED : June 28, 2005  
INVENTOR(S) : Thomas A. Keim et al.


Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 29,  
Delete lines 20-21.

Signed and Sealed this

Thirteenth Day of June, 2006



JON W. DUDAS  
*Director of the United States Patent and Trademark Office*